	Type	Hits	Search Text	DBs
1	BRS	4395 37	(light adj emit$6 adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	319	((wave or light) near5 guide) and (curv$4 with rear)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
3	BRS	58	((((wave or light) near5 guide) and (curv$4 with rear)) and edge) and ((light adj emit$6 adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	158	(((wave or light) near5 guide) and (curv$4 with rear)) and edge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	9	(((wave or light) near5 guide) and (curv$4 with rear)) and 362/31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	14	("2561885" | "3497686" | "3761704" | "4874228" | "4929866" | "4965950" | "4984144" | "5046826" | "5070431" | "5136480" | "5165772" | "5190370" | "5375043" | "5442523").PN.	USPAT
7	BRS	19	5590945.URPN.	USPAT
8	BRS	2	(((wave or light) near5 guide) and (curv$4 with rear)) and 362/27.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1	(((wave or light) near5 guide) and (curv$4 with rear)) and 362/331.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	IS&R	2	("5050946").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	7	("4257084" | "4277817" | "4323951" | "4528617" | "4706173" | "4799137" | "4883333").PN.	USPAT
12	BRS	102	5050946.URPN.	USPAT
13	BRS	256	340/815.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	21	340/815.43.ccls. not 340/815.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	351	340/815.45.ccls. not 340/815.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	374	340/815.45.ccls. not (340/815.43.ccls. not 340/815.42.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	24	340/815.45.ccls. not (340/815.45.ccls. not 340/815.42.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	128	340/815.65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	1096	362/31.ccls.	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
2	BRS	663	362/551.ccls.	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
3	BRS	599	362/551.ccls. not 362/31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	4381 99	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	138	362/551.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	191	362/559.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	62	362/559.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	414	362/231.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	136	362/231.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	134	362/236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	34	362/236.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	505	362/240.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	126	362/240.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	93	362/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	50	362/244.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	87	362/246.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	38	362/246.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	260	362/330.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	67	362/330.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	316	362/331.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	45	362/331.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	209	362/335.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	22	362/335.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	145	362/336.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	12	362/336.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	211	362/337.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	9	362/337.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	86	362/338.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	13	362/338.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	458	362/339.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	70	362/339.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1075	362/800.ccls.	USPAT; US-PGPUB; EP ; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
33	BRS	1621 81	(light or wave) near4 (guide or panel or substrate)	USPAT; US-PGPUB; EP ; JP ; DERWENT; IBM_TDB
34	BRS	851	362/812.ccls.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
35	BRS	136	362/812.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	45	((light or wave) near4 (guide or panel or substrate)) and (362/812.ccls. and ((light adj emitting adj diod$4) or LED$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	244	362/800.ccls. and ((light or wave) near4 (guide or panel or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	726	116/63r.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	4381 99	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	517	116/63p.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	79	116/63t.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	15	((light adj emitting adj diod$4) or LED$4) and 116/63r.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	23	((light adj emitting adj diod$4) or LED$4) and 116/63p.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	5	((light adj emitting adj diod$4) or LED$4) and 116/63t.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	489	340/907.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	198	340/908.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	96	340/909.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	115	340/916.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	98	340/944.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	97	((light adj emitting adj diod$4) or LED$4) and 340/907.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	19	((light adj emitting adj diod$4) or LED$4) and 340/944.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	14	((light adj emitting adj diod$4) or LED$4) and 340/916.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	7	((light adj emitting adj diod$4) or LED$4) and 340/909.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	48	((light adj emitting adj diod$4) or LED$4) and 340/908.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	IS&R	2	("5365411").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	IS&R	2	("6036328").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	9	("3760237" | "4473866" | "4774434" | "5077587" | "5093768" | "5136483" | "5408388" | "5528709" | "5641219").PN.	USPAT
58	BRS	4	6036328.URPN.	USPAT
59	BRS	4	6036328.URPN.	USPAT
60	IS&R	0	("754636.ap.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	5	754636.ap.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
62	BRS	0	20010049893.URPN.	USPAT
63	BRS	0	20010049893.URPN.	USPAT
64	IS&R	2	("6386720").PN.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
65	BRS	37	("2347665" | "4128332" | "4313124" | "4345262" | "4459600" | "4463359" | "4558333" | "4704004" | "4723129" | "4737896" | "4740796" | "4766498" | "4797711" | "4822144" | "4870484" | "4882617" | "4908717" | "4933817" | "4976514" | "5058997" | "5068568" | "5128842" | "5135300" | "5214536" | "5215370" | "5241459" | "5248518" | "5248917" | "5296951" | "5315418" | "5375043" | "5499112" | "5575549" | "5584556" | "5613751" | "5640483" | "5808295").PN.	USPAT
66	BRS	0	6386720.URPN.	USPAT
67	BRS	0	6386720.URPN.	USPAT
68	IS&R	1	("6481131").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	6481131.URPN.	USPAT
70	BRS	12	("2091342" | "4644164" | "5276591" | "5433024" | "5550715" | "5576078" | "5636914" | "5743616" | "5775791" | "5842297" | "6036328" | "6073374").PN.	USPAT
71	BRS	0	6481131.URPN.	USPAT
72	IS&R	2	("5375043").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	6	("4975809" | "5079675" | "5124890" | "5136483" | "5147129" | "5239450").PN.	USPAT
74	BRS	25	5375043.URPN.	USPAT
75	BRS	438498	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	1458	((light adj emitting adj diod$4) or LED$4) and 40/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	44	(((light adj emitting adj diod$4) or LED$4) and 40/$.ccls.) and ((wave near4 guide) or (light near5 guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	439022	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	60583	(light near5 guide) or (wave adj guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	321552	(concave or convex or curved) near5 (plane or portion or surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	IS&R	2	("5575549").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	4	("5420761" | "5461547" | "5485291" | "5485354").PN.	USPAT
83	BRS	26	5575549.URPN.	USPAT
84	BRS	5	("5461547" | "5485354" | "5575549" | "5718497" | "5779337").PN.	USPAT
85	BRS	0	6164791.URPN.	USPAT
86	BRS	0	6164791.URPN.	USPAT

	Type	Hits	Search Text	DBs
87	BRS	73	("Re33987" | "1734834" | "2448244" | "2761056" | "2907869" | "3223833" | "3300646" | "3349234" | "3497686" | "3539796" | "3586851" | "3610941" | "3752974" | "3754130" | "3892959" | "3957351" | "4011001" | "4043636" | "4115994" | "4118110" | "4183628" | "4195915" | "4212048" | "4252416" | "4257084" | "4392750" | "4440474" | "4453200" | "4528617" | "4560264" | "4616295" | "4649462" | "4706173" | "4714983" | "4720706" | "4723840" | "4735495" | "4737896" | "4766526" | "4798448" | "4826294" | "4875200" | "4910652" | "4914553" | "4945349" | "4972394" | "4998804" | "5008658" | "5029045" | "5029986" | "5050946" | "5070431" | "5083240" | "5128783" | "5161041" | "5169230" | "5202950" | "5237641" | "5303322" | "5339294" | "5365411" | "5410453" | "5440197" | "5481637" | "5485291" | "5575549" | "5618096" | "5655832" | "5684354" | "5721795" | "5806995" | "5883684" | "6007209").PN.	USPAT
88	BRS	73	("Re33987" | "1734834" | "2448244" | "2761056" | "2907869" | "3223833" | "3300646" | "3349234" | "3497686" | "3539796" | "3586851" | "3610941" | "3752974" | "3754130" | "3892959" | "3957351" | "4011001" | "4043636" | "4115994" | "4118110" | "4183628" | "4195915" | "4212048" | "4252416" | "4257084" | "4392750" | "4440474" | "4453200" | "4528617" | "4560264" | "4616295" | "4649462" | "4706173" | "4714983" | "4720706" | "4723840" | "4735495" | "4737896" | "4766526" | "4798448" | "4826294" | "4875200" | "4910652" | "4914553" | "4945349" | "4972394" | "4998804" | "5008658" | "5029045" | "5029986" | "5050946" | "5070431" | "5083240" | "5128783" | "5161041" | "5169230" | "5202950" | "5237641" | "5303322" | "5339294" | "5365411" | "5410453" | "5440197" | "5481637" | "5485291" | "5575549" | "5618096" | "5655832" | "5684354" | "5721795" | "5806995" | "5883684" | "6007209").PN.	USPAT
89	BRS	26	5575549.URPN.	USPAT
90	BRS	4248	((light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	1276	(((light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))) and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	181	((((light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))) and ((light adj emitting adj diod$4) or LED$4)) and 362/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3527 2	((concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflact$5)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
94	BRS	517	(((concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflact$5)) and ((light near5 guide) or (wave adj guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	150	((((concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflact$5)) and ((light near5 guide) or (wave adj guide))) and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	712	((light near5 guide) or (wave adj guide)) and ((rear or opposite) with curv$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	225	(((light near5 guide) or (wave adj guide)) and ((rear or opposite) with curv$4)) and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	IS&R	2	("5276591").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	9	("1499688" | "2994148" | "3406475" | "3892959" | "4007985" | "4059916" | "4648690" | "5027258" | "5075826").PN.	USPAT
100	BRS	4390 22	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	6058 3	(light near5 guide) or (wave adj guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	8737	((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	20	(((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))) and (color with mix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	0	20010001207.URPN.	USPAT
105	BRS	0	20010001207.URPN.	USPAT
106	BRS	0	20010001207.URPN.	USPAT
107	BRS	462	((light adj emitting adj diod$4) or LED$4) and (color with mix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	BRS	20	((((light adj emitting adj diod$4) or LED$4) and (color with mix)) and ((light near5 guide) or (wave adj guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
109	BRS	2118	((light near5 guide) or (wave adj guide)) with edge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110	BRS	423	(((light near5 guide) or (wave adj guide)) with edge) and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
111	BRS	82	((((light near5 guide) or (wave adj guide)) with edge) and ((light adj emitting adj diod$4) or LED$4)) and mix$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
112	BRS	45	(((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))) and 362/27.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
113	BRS	83	(((((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))) and 362/26.ccls.) not (((((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))) and 362/27.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
114	BRS	104	(((light adj emitting adj diod$4) or LED$4) and ((light near5 guide) or (wave adj guide))) and 362/26.ccls.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
115	BRS	4393 70	(light adj emitting adj diod$4) or LED$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
116	BRS	1458	40/$.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
117	BRS	1625 87	(light or wave) near4 (guide or panel or substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
118	BRS	216	(40/$.ccls. and ((light adj emitting adj diod$4) or LED$4)) and ((light or wave) near4 (guide or panel or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
119	BRS	39	40/541.ccls. and ((light adj emitting adj diod$4) or LED$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	BRS	2252 6	((light adj emitting adj diod$4) or LED$4) and ((light or wave) near4 (guide or panel or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	BRS	17	40/544.ccls. and (((light adj emitting adj diod$4) or LED$4) and ((light or wave) near4 (guide or panel or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
122	BRS	27	40/546.ccls. and (((light adj emitting adj diod$4) or LED$4) and ((light or wave) near4 (guide or panel or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
123	BRS	1	40/557.ccls. and (((light adj emitting adj diod$4) or LED$4) and ((light or wave) near4 (guide or panel or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
124	BRS	1	40/563.ccls. and (((light adj emitting adj diod$4) or LED$4) and ((light or wave) near4 (guide or panel or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB